

1. Coppola G, Castaldo P, Miraglia Del Giudice E, Bellini G, Galasso F, **Soldovieri MV**, Anzalone L, Sferro C, Annunziato L, Pascotto A, and Tagliatela M (2003). A novel KCNQ2 K⁺ channel mutation in Benign Neonatal Convulsions and centrotemporal spikes. *Neurology* 61:131-134.
2. Borgatti R, Zucca C, Cavallini A, Ferrario M, Panzeri C, Castaldo P, **Soldovieri MV**, Baschiroto C, Bresolin N, Dalla Bernardina B, Tagliatela M, and Bassi MT (2004). A novel mutation in KCNQ2 associated with BFNC, drug resistant epilepsy, and mental retardation. *Neurology* 63:57-65.
3. Sperandeo MP, Annunziata P, Ammendola V, Fiorito V, Pepe A, **Soldovieri MV**, Tagliatela M, Andria G, and Sebastio G (2005). Lysinuric protein intolerance: identification and functional analysis of mutations of the SLC7A7 gene. *Human Mutation* 410.
4. Bassi MT, Balottin U, Panzeri C, Piccinelli P, Castaldo P, Barrese V, **Soldovieri MV**, Miceli F, Colombo M, Bresolin N, Borgatti R, and Tagliatela M (2005). Functional Analysis of Novel KCNQ2 and KCNQ3 Gene Variants Found in a Large Pedigree With Benign Familial Neonatal Convulsions (BFNC). *Neurogenetics* 185-193.
5. **Soldovieri MV**, Castaldo P, Iodice L, Miceli F, Barrese V, Bellini G, Miraglia Del Giudice E, Pascotto A, Bonatti S, Annunziato L, and Tagliatela M (2006). Decreased Subunit Stability as a Novel Mechanism for Potassium Current Impairment by a KCNQ2 C Terminus Mutation Causing Benign Familial Neonatal Convulsion. *J Biol Chem* 281(1): 418-428.
6. Fulgenzi G, Graciotti L, Faronato M, **Soldovieri MV**, Miceli F, Amoroso S, Annunziato L, Procopio A, and Tagliatela M (2006). Human neoplastic mesothelial cells express voltage-gated sodium channels involved in cell motility. *Int J Biochem Cell Biol* 38: 1146-1159.
7. **Soldovieri MV**, Cilio MR, Miceli F, Bellini G, Miraglia del Giudice E, Castaldo P, Hernandez CC, Shapiro MS, Pascotto A, Annunziato L, and Tagliatela M (2007). Atypical gating of M-type potassium channels conferred by mutations in uncharged residues in the S₄ region of KCNQ2 causing Benign Familial Neonatal Convulsions. *J Neurosci* 27:4919-4928.
8. **Soldovieri MV**, Miceli F, Bellini G, Coppola G, Pascotto A, and Tagliatela M (2007). Correlating the Clinical and Genetic Features of Benign Familial Neonatal Seizures (BFNS) with the Functional Consequences of Underlying Mutations. *Channels* 1:3, e1-e6 (<http://www.landesbioscience.com/journals/channels/article/4823>; July/August).
9. Miceli F, **Soldovieri MV**, Martire M, and Tagliatela M (2008). Molecular pharmacology and therapeutic potential of neuronal K_v7-modulating drugs. *Curr Opin Pharmacol* 8:65-74.
10. **Soldovieri MV**, Miceli F, and Tagliatela M (2008). Cardiotoxic effects of antihistamines: from basics to clinics (... and back). *Chem Res Toxicol* 5:997-1004.
11. Miceli F, **Soldovieri MV**, Shapiro MS, Annunziato L, and Tagliatela M (2008). Gating consequences of charge neutralization of arginine residues in the S₄ domain of K_v7.2, an epilepsy-linked K⁺ channel subunit. *Biophys J* 95:2254-2264.
12. Miceli F, **Soldovieri MV**, Lugli L, Bellini G, Ambrosino P, Migliore M, Miraglia Del Giudice E, Ferrari F, Pascotto A, and Tagliatela M (2009). Neutralization of a unique, negatively-charged residue in the voltage sensor of K_v7.2 subunits in a sporadic case of Benign Familial Neonatal Seizures. *Neurobiol Dis* 34:501-510.

13. Iannotti F, Panza E, Barrese V, Viggiano D, **Soldovieri MV**, and Tagliatalata M (2010). Expression, localization, and pharmacological role of K_v7 potassium channels in skeletal muscle proliferation, differentiation and survival after myotoxic insults. *J Pharmacol Exp Ther* 332(3):811-820.
14. Bellini G, Miceli F, **Soldovieri MV**, Miraglia del Giudice E, Coppola G, Tagliatalata M (2010). *KCNQ2*-Related Disorders. In: Pagon RA, Adam MP, Ardinger HH, Bird TD, Dolan CR, Fong CT, Smith RJH, Stephens K, editors. *GeneReviews*[®] [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2014. 2010 Apr 27 [updated 2013 Apr 11].
15. Barrese V, Miceli F, Soldovieri MV, Ambrosino P, Iannotti FA, Cilio MR, and Tagliatalata M (2010). Neuronal potassium channel openers in the management of epilepsy: role and potential of retigabine. *Clinical Pharmacology: Advances and Applications* 2:225-236.
16. Miceli F, **Soldovieri MV**, Iannotti FA, Barrese V, Ambrosino P, Martire M, Cilio MR, and Tagliatalata M (2011). The Voltage-Sensing Domain of K(v)7.2 Channels as a Molecular Target for Epilepsy-Causing Mutations and Anticonvulsants. *Front Pharmacol* 2:2.
17. Santoro L, Manganelli F, Fortunato MR, **Soldovieri MV**, Ambrosino P, Iodice R, Pisciotta C, Tessa A, Santorelli F, and Tagliatalata M (2011). A new Italian FHM2 family: clinical aspects and functional analysis of the disease-associated mutation *Cephalalgia* 31(7):808-819.
18. Soldovieri MV, Miceli F, and Tagliatalata M (2011). Driving with no brakes: molecular pathophysiology of Kv7 potassium channels. *Physiology* (Bethesda) 26(5):365-376.
19. Di Capua R, Barra M, Santoro F, Viggiano D, Ambrosino P, **Soldovieri MV**, Tagliatalata M, and Cassinese A (2012). Towards the realization of label-free biosensors through impedance spectroscopy integrated with IDES technology. *Eur Biophys J* 41(2):249-256.
20. Ambrosino P, **Soldovieri MV**, Russo C, and Tagliatalata M (2013). Activation and desensitization of TRPV1 channels in sensory neurons by Palmitoylethanolamide, an endogenous anti-inflammatory and analgesic fatty acid amide. *Br J Pharmacol* 168(6): 1430-1444.
21. Barra M, Viggiano D, Ambrosino P, Bloisi F, Di Girolamo FV, **Soldovieri MV**, Tagliatalata M, and Cassinese A (2013). Addressing the use of PDIF-CN2 molecules in the development of N-type organic field-effect transistors for biosensing applications. *Biochem Biophys Acta* 1830(9): 4365-4373.
22. Miceli F, **Soldovieri MV**, Ambrosino P, Barrese V, Migliore M, Cilio MR, and Tagliatalata M (2013). Genotype-phenotype correlations in neonatal epilepsies caused by mutations in the voltage-sensing domain of KCNQ2 potassium channels subunits. *Proc Natl Acad Sci USA* 110(11): 4386-4391.
23. Ostacolo C, Ambrosino P, Russo R, Lo Monte M, **Soldovieri MV**, Laneri S, Sacchi A, Vistoli G, Tagliatalata M, and Calignano A (2013). Isoxazole derivatives as potent transient receptor potential melastatin type 8 (TRPM8) agonists. *Eur J Med Chem* 69: 659-669.
24. **Soldovieri MV**, Boutry-Kryza N, Milh M, Doummar D, Heron B, Bourel E, Ambrosino P, Miceli F, De Maria M, Dorison N, Auvin S, Echenne B, Oertel J, Riquet A, Lambert L, Gerard M, Roubergue A, Calender A, Mignot C, Tagliatalata M, and Lesca G (2014). Novel KCNQ2 and KCNQ3 Mutations in a Large Cohort of Families with Benign Neonatal Epilepsy: First Evidence for an Altered Channel Regulation by Syntaxin-1A. *Hum Mutat* 35(3): 356-367.
25. Bellini G, Miceli F, **Soldovieri MV**, Miraglia del Giudice E, Coppola G, and Tagliatalata M (2014). *KCNQ3*-Related Disorders. In: Pagon RA, Adam MP, Ardinger HH, Bird TD, Dolan CR, Fong CT, Smith RJH,

- Stephens K, editors. *GeneReviews*[®] [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2014. 2014 May 22.
26. Villarroel A, Tagliatela M, Bernardo-Seisdedos G, Alaimo A, Agirre J, Alberdi A, Gomis-Perez C, **Soldovieri MV**, Ambrosino P, Malo C, and Areso P (2014). The ever changing moods of calmodulin: how structural plasticity entails transductional adaptability. *J Mol Biol* 426(15): 2717-2735.
 27. Mancini M, **Soldovieri MV**, Gessner G, Wissuwa B, Barrese V, Boscia F, Secondo A, Miceli F, Franco C, Ambrosino P, Canzoniero LM, Bauer M, Hoshi T, Heinemann SH, and Tagliatela M (2014). Critical role of large conductance voltage- and calcium-activated potassium channel in leptin-induced neuroprotection of N-Methyl-D-Aspartate-exposed cortical neurons. *Pharmacol Res* 87: 80-86.
 28. Ambrosino P, **Soldovieri MV**, De Maria M, Russo C, Tagliatela M (2014). Functional and biochemical interaction between PPAR α receptors and TRPV1 channels: potential role in PPAR α agonists-mediated analgesia. *Pharmacol Res* 87: 113-122.
 29. Miceli F, Striano P, **Soldovieri MV**, Fontana A, Nardello R, Robbiano A, Bellini G, Elia M, Zara F, Tagliatela M, and Mangano S (2015). A novel KCNQ3 mutation in familial epilepsy with focal seizures and intellectual disability. *Epilepsia* 56(2):e15-20.
 30. Miceli F, **Soldovieri MV**, Ambrosino P, De Maria M, Migliore M, Migliore R, and Tagliatela M (2015). Early-Onset Epileptic Encephalopathy Caused by Gain-of-Function Mutations in the Voltage Sensor of Kv7.2 and Kv7.3 Potassium Channel Subunits. *J Neurosci* 35(9):3782-3793.
 31. **Soldovieri MV**, Miceli F, Barrese V, Mancini M, Boscia F, and Tagliatela M (2015). Potassium channels in neuronal death and survival (*in press on European Journal of Neurodegenerative Diseases*).
 32. Ambrosino P, Alaimo A, Bartollino S, Manocchio L, De Maria M, Gomis-Perez C, Alberdi A, Scambia G, Lesca G, Villarroel A, Tagliatela M, and **Soldovieri MV** (2015). Epilepsy-causing mutations in Kv7.2 C-terminus affect binding and functional modulation by calmodulin *Biochim Biophys Acta* 1852(9):1856-1866.
 33. Miceli F, **Soldovieri MV**, Ambrosino P, De Maria M, Manocchio L, Medoro A, and Tagliatela M (2015). Molecular pathophysiology and pharmacology of the voltage-sensing domain of neuronal ion channels. *Front Cell Neurosci* 9: 259.
 34. Testai L, Barrese V, **Soldovieri MV**, Ambrosino P, Martelli A, Vinciguerra I, Miceli F, Greenwood I, Breschi MC, Canduela MJ, Grandes P, Calderone V, and Tagliatela M. Expression and function of Kv7.4 channels in cardiac mitochondria: possible targets for cardioprotection (under revision on *Cardiovascular Research*).
 35. Rizzo F, Ambrosino P, Guacci A, Chetta M, Marchese G, Rocco T, **Soldovieri MV**, Manocchio L, Mosca I, Casara G, Vecchi M, Tagliatela M, Coppola G, and Weisz A. Functional and pharmacological characterization of gain of function KCNT1 gene mutations identified by whole exome sequencing in two children with Malignant Migrating Partial Seizures in Infancy (submitted to *Molecular and Cellular Neuroscience*).
 36. Cornacchione M, Pellegrini M, Fassina L, Mognaschi ME, Di Siena S, Gimmelli R, Ambrosino P, **Soldovieri MV**, Gianfrilli D, Isidori AM, Lenzi A, Naro F. β -adrenergic response is counteracted by extremely-low frequency pulsed electromagnetic fields in beating cardiomyocytes (submitted to *Journal of Molecular and Cellular Cardiology*).