

International peer review journals

1. Citterio S., Sgorbati S., Scippa S., Sparvoli E. (1994). Ascorbic acid effect on the onset of cell proliferation in pea root. *Physiologia Plantarum*, 92, 4: 601-607.
2. Chiatante D., Onelli E., Patrignani G., Scippa G.S.(1995). Localization of nuclear protein (QP47) in embryonic meristems during seed maturation and germination and its distribution among crop plants. *Journal of experimental Botany*, 46, 288: 815-821.
3. Chiatante D., Maiuro L. and Scippa G.S. (1996). Effect of water stress on seeds of pea seedlings and tolerance of meristematic tissue to dehydration. *Acta Phytogeographica Suecica*, 81: 101-105.
4. Chiatante D., Scippa G.S., Onelli E., Patrignani G., and Maiuro L. (1997). Nucleus and nucleolus in pea root meristems are affected by variations in moisture content. *Plant Biosystems*, 131, 1: 13-24.
5. Chiatante D., Rocco M., Maiuro L., Scippa G.S., Di Martino C. and Bryant J. (1997). Cell division and DNA topoisomerase I activity in root meristems of pea seedlings during water stress. *Plant Biosystems*, 131, 3: 163-173.
6. Chiatante D., Di Iorio A., Maiuro L., Scippa G.S. (1999). Effect of water stress on root meristems in woody and herbaceous plants during the first stage of development. *Plant and Soil* 217, 1/2: 159-172.
7. Scippa G. S., Griffiths A., Chiatante D., Bray E.A. (2000). The H1 histone variant of tomato, H1-S is targeted to the nucleus and accumulates in the chromatin in response to water deficit stress. *Planta*, 211, 2: 173-181.
8. Chiatante D., Scippa G. S., Maiuro L., Onelli E., Patrignani G. (2002). Modification of Chromatin Organisation at Low Water Potential in Cultured Cells of *Solanum tuberosum*: Possible Involvement of Dehydrins. *Plant Biosystems*, 136, 1: 35-48.
9. Chiatante D., Di Iorio A., Sarnataro M. Scippa G.S.(2002). Improving vigour assesment of pine (*Pinus nigra* Arnold) seedlings before their use in reforestation. *Plant Biosystems*, 136, 2: 209-216.
10. Chiatante D., Scippa G.S., Di Iorio A., and Sarnataro M. (2003). The influence of steep slopes on root system development. *Journal of Plant Growth Regulation*, 21:247-260.
11. Chiatante D., Sarnataro M., Fusco S., Di Iorio A., Scippa G. S. (2003). Modification of root morphological parameters and root architecture in seedlings of *Fraxinus ornus* L. and *Spartium junceum* L. growing on slopes. *Plant Biosystems*, 137, 1: 47-55.
12. Scippa G.S., Di Michele M., Onelli E., Patrignani G., Chiatante D. and Bray E. A. (2004.) The histone-like protein H1-S and the response of tomato leaves to water deficit. *Journal of experimental Botany* 55, 394: 99-109.

13. Di Iorio A., Lasserre B., Scippa G.S. and Chiatante D. (2005). Root System Architecture of *Quercus pubescens* Trees Growing on Different Sloping Conditions. *Annals of Botany*, 95: 351–361.
14. Chiatante D., Di Iorio A. and Scippa G.S. (2005). Root responses of *Quercus ilex* L. seedlings to drought and fire. *Plant Biosystems*, 139, 2: 198-208.
15. Chiatante D., Di Iorio A., Sciandra S., Scippa G.S. and Mazzoleni S. (2006). Effect of drought and fire on root development in *Quercus pubescens* Willd. and *Fraxinus ornus* L. seedlings. *Environmental and Experimental Botany*, 56, 2: 190-197.
16. Scippa G.S., Di Michele M., Di Iorio A., Costa A., Lasserre B., Chiatante D. (2006) The Response of *Spartium junceum* L. Roots to Slope: Anchorage and Gene Factors. *Annals of Botany*, 97: 857 – 866.
17. Di Michele M., Chiatante D., Plomion C., Scippa G.S. (2006). Spanish broom (*Spartium junceum* L.) growing on slope: a proteomic analysis of root system alterations. *Plant Science*, 170, 5: 926-935.
18. Chiatante D. and Scippa G.S. (2006). Root architecture: Influence of metamerism organization and emission of lateral roots. *Plant Biosystems*, 140, 3: 307– 320.
19. Di Iorio A., Lasserre B., Scippa G.S. and Chiatante D. (2007). Pattern of secondary thickening in a *Quercus cerris* root system. *Tree Physiology*, 27: 407–412.
20. Chiatante D., Di Iorio A. and Scippa G.S. (2007). Modification of root architecture in woody plants is possible for the presence of two different mechanisms of lateral root production: The effect of slope in *Spartium junceum* L. seedlings. *Plant Biosystems*, 141, 3: 502-511
21. Chiatante D., Scippa G.S., Di Iorio A., De Micco V., Sarnataro M. (2007). Lateral root emission in woody taproots of *Fraxinus ornus* L. *Plant Biosystems*, 141, 2: 204 –213.
22. Di Iorio A., Lasserre B., Petrozzi L., Scippa G.S., Chiatante D. (2008). Adaptive longitudinal growth of first-order lateral roots of a woody species (*Spartium junceum* L.) to slope and different soil conditions—upward growth of surface roots. *Environmental and Experimental Botany*, 63 207–215.
23. Scippa G.S., Trupiano D., Rocco M., Viscosi V., Di Michele M., D’Andrea A., and Chiatante D. (2008). An integrated approach to the characterization of two autochthonous lentil (*Lens culinaris* Medik.) landraces of Molise (South-Central Italy). *Heredity*, 101, 136 - 144.
24. Scippa G.S., Trupiano D., Rocco M., Di Iorio A. and Chiatante D. (2008). Unraveling the response of poplar (*Populus nigra* L.) roots to mechanical stress imposed by bending. *Plant Biosystems*, 142, 2: 401-413.
25. Chiatante D., Scippa G.S., Di Iorio A. (2008). Anatomical investigations of resprouting in *Cardopatum corymbosum* L. (Asteraceae): a hemicryptophyte living on erosion-prone slopes in a Mediterranean climate. *Plant Biosystems*, 142, 2: 366-374.

26. Chiatante D., Beltotto E., Onelli E., Di Iorio A., Trupiano D., Rocco M. and Scippa G.S. (2009). Initiation of vascular cambium derivatives produces new branch roots in a woody parental axis: effect on root architecture. International symposium "Root Research and Application" RootRAP.
27. Scippa G.S., Rocco M., Ialiccio M., Trupiano D., Viscosi V., Di Michele M., Arena S., Chiatante D. and Scaloni A. (2010). The proteome of lentil (*Lens culinaris* Medik.) seeds: discrimination between landraces. Electrophoresis, 31, 497-506.
28. Viscosi V., Ialiccio M., Rocco M., Trupiano D., Arena S., Chiatante D., Scaloni A., Scippa G.S. (2010). Lentils biodiversity: the characterization of two local landraces. Tools for Identifying Biodiversity: Progress and Problems (ISBN 978-88-8303-295-0).
29. Di Iorio A, Montagnoli A, Scippa G.S., Chiatante D (2011). Fine root growth of *Quercus pubescens* seedlings after drought stress and fire disturbance. Environmental And Experimental Botany, Vol. 74, p. 272-279, ISSN: 0098-8472
30. Scippa G.S., Petrollini E., Trupiano D., Rocco M., Falco G., Di Michele M., Chiatante D. (2011). Dormancy of *Medicago marina* (L.) seed. Environmental and Experimental Botany, 72, 320–332.
31. Trupiano D., Di Iorio A., Montagnoli A., Lasserre B., Rocco M., Grosso A., Scaloni A., Marra M., Chiatante D. and Scippa G.S. (2012). Involvement of lignin and hormones in the response of woody poplar taproots to mechanical stress. Physiologia Plantarum 146: 39–52.
32. Trupiano D., Renzoni G., Rocco M., Scaloni A., Viscosi V., Chiatante D. and Scippa G.S. (2012). The proteome of *Populus nigra* woody root: response to bending. Annals of Botany 110: 415–432.
33. Ialiccio M., Viscosi V., Arena S., Scaloni A., Trupiano D., Rocco M., Chiatante D. and Scippa G.S. (2012). *Lens culinaris* Medik. seed proteome: analysis to identify specific markers. Plant Science 197: 1–9.
34. Montagnoli A., Terzaghi M., Di Iorio A., Scippa G.S. and Chiatante D. (2012). Fine-root morphological and growth traits in a Turkey-oak stand in relation to seasonal changes in soil moisture in the Southern Apennines, Italy. Ecological Research DOI 10.1007/s11284-012-0981-1.
35. Lee D., Ialiccio M., Akkinipalli H., Morreale G., Liu Y., Leung H., Scippa G. S., Greenland A., Mackay I. (2012). Genotyping SSR length variants by isothermal DNA amplification. Genome, 10.1139/G2012-058.
36. Montagnoli A., Terzaghi M., Di Iorio A., Scippa G.S., Chiatante D. (2012). Fine-root seasonal pattern, production and turnover rate of European beech (*Fagus sylvatica* L.) stands in Italy Prealps: Possible implications of coppice conversion to high forest. Plant Biosystems, vol. 146, p. 1012-1022, ISSN: 1126-3504.
37. Rocco M., Arena S., Renzone G., Scippa G.S., Lomaglio T., Verrillo F., Scaloni A., Marra M. (2013). Proteomic analysis of temperature stress-responsive proteins in *Arabidopsis thaliana* rosette leaves. Molecular Biosystems, vol. 9 , p. 1257 -1267, ISSN: 1742-206X

38. Trupiano D., Rocco M., Scalonì A., Renzoni G., Rossi M., Viscosi V., Chiatante D. and Scippa G.S. (2013). Temporal analysis of poplar woody root response to bending stress. *Physiologia Plantarum* (in press)
39. Trupiano D, Yordanov Y, Regan S, Meilan R, Tschaplinski T, Scippa GS, Busov V. (2013). Identification, characterization of an AP2/ERF transcription factor that promotes adventitious, lateral root formation in *Populus*. *Planta* (in press).
40. Di Iorio A., Montagnoli A., Terzaghi M., Scippa G. S., Chiatante D. (2013). Effect of stand tree density on roots distribution in *Fagus sylvatica* stands. A 3D digitizer approach to trench wall method. *Trees* (in press)

Peer review national journals

1. Chiatante D., Scippa G.S., Maiuro L., Giordano S. (1995). La tolleranza al disseccamento dei nuclei di *Pleurochaete squarrosa* (Brid) Lindb L. *Informatore Botanico Italiano*, 27, 1 : 82-84.
2. Chiatante D., Di Iorio A., Scippa G.S. and Schirone B. (2004). Root Architectural and Morphological response of *Pinus nigra* Arn. and *Quercus robur* L. to nutrient supply and root density in the soil. *Annali di Botanica* IV, 159-171
3. Scippa G.S., Di Michele M., Giancola C., Stanisci A. (2005). Morfologia, vitalità e germinabilità di semi di specie alto-montane dell'Appennino centrale. *Informatore Botanico Italiano*, 37,1 (A):164-165.
4. Di Michele M., Chiatante D., Scippa G.S. (2005). Analisi proteomica di radici di ginestra (*Spartium junceum* L.) in pendenza. *Informatore Botanico Italiano*, 37, 1
5. Di Marzio P., Fortini P., Viscosi V., Marchetti M., Scippa G.S., Stanisci A., Di Michele M., Giancola C., Pelino G., Presti G. (2005). Nuove strutture per le ricerche botaniche nell'Università del Molise. *Informatore Botanico Italiano*, 37, 1 (A): 430-431.
6. Scippa G.S., Stanisci A., Delfino S., D'Andrea P. Pelino G. (2010). La Banca del germoplasma del Molise. *Studi Trentini di Scienze Naturali*, vol. 88, p. 55-62, ISSN: 2035-7699.

Book Chapter

1. Chiatante D., Maiuro L., Scippa G.S. (1995). Tolerance of meristematic root cell to water stress and quantitative variation of proteins. In: *Plant Cell proliferation and its Regulation in Growth Development*. pp.119-134. Bryant and Chiatante (Eds), J. Wiley & Sons.
2. Chiatante D., Maiuro L., Scippa G.S., Di Iorio A. (2001). Effect of water stress upon root meristems of pea seedlings: the role of quantitative and qualitative changes in protein patterns. In:

Recent Advances for Plant Root Structure and Function: pp.151-158. Edited by O. Gasparikova, I.Ciamparova, I. Mistrik and F.Baluska. Kluwer Academic Publishers.

3. Chiatante D., Baraldi A., Di Iorio A., Sarnataro M. and Scippa G.S. (2003). Root response to mechanical stress in plants growing on slopes: an experimental system for morphological, biochemical and molecular analysis. In: Roots: the dynamic interface between plants and the earth: pp. 421-427. Edited by Jun Abe Publisher: Kluwer Academic Publishers.

4. Fortini P., Scippa G.S., Stanisci A., Marchetti M. (2008). Conservazione della flora minacciata. In: Relazione sullo stato dell'ambiente della Regione Molise, pp. 329-330, a cura di Marco Marchetti, Davide Marino e Giovanni Cannata - Università degli Studi del Molise (ISBN978-88-901055-1-7).

Congress Proceedings

1. Chiatante D., Scippa G.S., Di Iorio A. and Sarnataro M. (2001). The stability of trees growing on slope depends upon a particular conformational structure imposed by mechanical stress in their root system. In: Proceedings of the International Conference on Forest Research: A challenge for an integrated European Approach pp. 477-482. Thessaloniki Greece- Editor K. Radoglou.

2. Scippa G.S., Baraldi A., Urciouli D. and Chiatante D. (2001). Root response to slope condition. Which are the factors involved. Analysis at biochemical and molecular level. In: Proceedings of the 6th Symposium of the International Society of Root Research. pp128-129.

3. Chiatante D., Scippa G.S., Maiuro L. (1994). Stress idrico nei muschi: resistenza del nucleo alla disidratazione". Congresso della Societa' Botanica Italiana "Gruppo di lavoro per la citologia e il differenziamento e coltura dei tessuti" .

4. Chiatante D., Maiuro L., Scippa G.S. (1994). Resistance of root to water stress. Atti del Congresso: The 4th ISRR Symposium at Alma Ata Kazakhstan on "Root system and natural vegetation".

5. Chiatante D., Maiuro L., Scippa G.S. (1994). Water stress tolerance in root meristems. 890 Congresso Societa' Botanica Italiana. Giornale Botanico Italiano, 128, 1: 151.

6. Chiatante D., Maiuro L., Scippa G.S. (1995). Factors controlling the transition from quiescence to proliferation in root meristems of germinating pea seeds. Plant Biology Abstract, SEB annual meeting. Journal of Experimental Botany, 46: 71. (May 1995, supplement).

7. Maiuro L., Scippa G.S., Chiatante D. (1995). Nuclear proteins correlated to water stress tolerance. 90° Congresso della Societa' Botanica Italiana. Giornale Botanico Italiano, 129, 2:120.

8. Scippa G.S., Maturo L., Chiatante D. (1995). Studi morfologici e biochimici di nuclei di cellule di patata (*Solanum tuberosum*) adattate allo stress idrico. Congresso della Societa' Botanica Italiana "Differenziamento e Colture di Tessuti".
9. Scippa G.S., Maiuro L., Chiatante D. (1995). Water stress tolerance in nuclei of potato cells adapted to PEG. Atti del workshop: Genes and their products for tolerance to physical stresses in plant. European Science Foundation Network.
10. Scippa G.S., Griffith A., Bray E.A., Chiatante D. (1996). Plant response to water stress: An H1-like protein induced by water stress in tomato. Congresso della Societa' Botanica Italiana "Differenziamento e Colture di Tessuti Rigenerazione e Morfogenesi: biologia di base ed aspetti applicativi".
11. Chiatante D., Maiuro L., Scippa G.S. (1996). Water stress tolerance in root meristems. 91° Congresso della Societa' Botanica Italiana. Giornale Botanico Italiano, 130, 1: 392.
12. Chiatante D., Scippa G.S., Bray E.A., Maiuro L. (1997) Aumento della tolleranza a stress abiotici in meristemi radicali : il nucleo ed i mitocondri. Congresso della 92° Congresso della Società Botanica Italiana.
13. Chiatante D., Maiuro L., Scippa G.S. (1997). Modificazioni biochimiche e morfologiche dei nuclei in conseguenza di variazioni di contenuto di acqua nei meristemi radicali di piante sottoposte a stress idrico. Congresso del Gruppo del Differenziamento e Colture Cellulari della Societa' Botanica Italiana.
14. Chiatante D., Scippa G.S., Maiuro L., Di Iorio A. (1998). Proliferation of root meristems under water stress condition. Congresso del Gruppo del Differenziamento e Colture Cellulari della Societa' Botanica Italiana.
15. Scippa G.S., Bray E.A., Chiatante D. (1998). Meccanismi cellulari di difesa dallo stress idrico: proteine di protezione attive nel nucleo. Congresso del Gruppo del Differenziamento e Colture Cellulari della Societa' Botanica Italiana.
16. Chiatante D., Scippa G.S., Maiuro L., Di Iorio A. (1998). Proliferation of root meristems under water stress condition. Fifth International Symposium on Structure and Function of Roots, Stara Lesna (Slovacchia).
17. Chiatante D., Scippa G.S., Maiuro L., Di Iorio A. (1998). Effect of water stress on root meristems: consequences on root architecture. Congresso dell' International Symposium "The supporting roots: structure and function" Bordeaux (France).
18. Chiatante D., Scippa G.S. (1998). Water content variations in legume seeds during maturation and the first stage of germination: effect upon chromatin organization and cell proliferation. Congresso della COST ACTION 828, Seed Science in the field of genetically controlled stress physiology. INRA Toulouse Center, (France).
19. Scippa G.S., Chiatante D., Bray E.A. (1998). An H1 histone variant of tomato regulated by ABA and water deficit. Atti della Gordon Research Conference: Cellular basis of adaptation to salt and water stress in plants, Oxford (UK).

20. Scippa G.S., Chiatante D., Bray E.A. (1999). H1-S, a water-deficit-stress induced histone variant. Atti del Congresso del Gruppo del Differenziamento e Colture Cellulari della Società Botanica Italiana.
21. Scippa G.S., Griffiths A., Moses M., Chiatante D., Bray E.A. (1999). ABA-regulated gene expression and the possible role of an H1 histone variant. Minisymposium: Abiotic stress-drought. American Society of Plant Physiologist, Plant Biology Meeting 99, Baltimore (Maryland).
22. Scippa G.S., Griffiths A., Moses M., Chiatante D., Bray E.A. (1999). H1-S a waterstress-induced H1 variant. American Society of Plant Physiologist, Plant Biology Meeting, Baltimore (Maryland). Session 43: Environmental Response and Adaptation.
23. Chiatante D., Sarnataro M., Scippa G.S., Tamasi E. and Di Iorio A. (2000). Influence of slope on root architecture in woody plants: morphological and biochemical investigations. Atti del Third International Congress on Adventitious Root Formation. Veldhoven, The Netherlands".
24. Baraldi A., Scippa G.S., Chiatante D. (2000). Interazione radice –suolo. Analisi morfometrica, biochimica e molecolare dell'apparato radicale di piante di ginestra (*Spartium junceum*) in condizione di diversa pendenza. 95° Congresso della Società Botanica Italiana.
25. Scippa G.S., Baraldi A., Urciouli D., and Chiatante D. (2001). Root response to slope condition. Which are the factors involved? Analysis at biochemical and molecular level. The 6th Symposium of the International Society of Root Research. Nagoya (Japan).
26. Scippa G.S., Baraldi A., Sciandra S., Di Michele M., and D. Chiatante (2002). Mechanical stresses imposed by a slope condition: the response of root system. Congresso del Gruppo di lavoro Biotecnologie e Differenziamento della Società Botanica Italiana.
27. Scippa G.S., Di Michele M., Chiatante D. (2002). An antisense strategy to investigate the involvement of a drought-induced Histone-like protein in the response to water deficit. 97° Congresso della Società Botanica Italiana
28. Sarnataro M., Greco R., Scippa G.S., Chiatante D. (2002) Caratteristiche biomeccaniche, morfologiche e architetture dell'apparato radicale dello *Spartium junceum* L. in relazione alla sua attività ricolonizzatrice di aree in dissesto. Congresso della Società Botanica Italiana.
29. Di Iorio A., Curtet M., Scippa G.S., Chiatante D. (2002). Studio in 3D dell'architettura dell'apparato radicale di *Spartium junceum* L, mediante il software AMAPMod. 97° Congresso della Società Botanica Italiana.
30. Fusco S., Scippa G.S., Chiatante D. (2002). Applicazioni del Telerilevamento iperspettrale MIVIS per l'individuazione di specie arboree ed arbustive autoctone atte alla stabilizzazione dei versanti. 97° Congresso della Società Botanica Italiana.
31. Sciandra S., Scippa G.S., Chiatante D. (2002). Studio delle modificazioni anatomiche dell'apparato radicale di *Spartium junceum*, L. 97° Congresso della Società Botanica Italiana Lecce.

32. Baraldi A., Scippa G.S., Chiatante D. (2002) Analisi morfometrica e studio proteomico della risposta degli apparati radicali di ginestra (*Spartium junceum* L) alla condizione pendenza. 97° Congresso della Società Botanica Italiana.
33. De Ioanni M., Courtet M., Alfonso P., Scippa G.S., Chiatante D. (2002). Analisi biomeccanica ed architetture degli apparati radicali di *Quercus Pubescens* accresciutesi in condizioni d'instabilità geomorfologia. 97° Congresso della Società Botanica Italiana.
34. Chiatante D. and Scippa G.S. (2003). Vegetation and soil stability on steep slopes: the buttressing role of the roots. 46th Symposium of the international Association of Vegetation Science.
35. Fusco S., Colombo R., Scippa G.S., Chiatante D. (2003). Integrazione dei dati MIVIS con el informazioni ambientali provenienti dall'elaborazione GIS per definire il ruolo della vegetazione nella stabilità dei versanti. 98° Congresso della Società Botanica Italiana .
36. Sarnataro M., Chiatante D., Scippa G.S. (2003). Analisi degli apparati radicali di due specie erbacee (*Cardopatum corymbosum* Pers. e *Scabiosa crenata* Cyr.) ricolonizzanti un'area in frana e loro potenziale uso in Ingegneria Naturalistica. 98° Congresso della Società Botanica Italiana.
37. Sciandra S., Scippa G.S., Chiatante D. (2003). Lateral root development in *Spartium junceum* L. growing on slope. 98° Congresso della Società Botanica Italiana.
38. Di Iorio A., Lasserre B., Scippa G.S. and Chiatante D. (2004). Distribution of radial growth durino the development of *Quercus cerris* L. root system growing on slope. First Open Workshop on Woody Root Processes under Changing Environment. Thessaloniki (Greece) Cost Action E38.
39. Di Michele M., Scippa G.S. and Chiatante D. (2005). Proteomic analysis of Spanish broom roots grown in slope. First Open Workshop on Woody Root Processes under Changing Environment. Thessaloniki (Greece) Cost Action E38.
40. Chiatante D., Scippa G.S., Di Iorio A., Lasserre B., Di Michele M. (2005). "Variations in developmental pattern of lateral roots induced by environmental factors: the response to mechanical stress induced by slope". XVII International Botanical Congress, Vienna (Austria).
41. Lombardi F., Scippa G.S., Chiatante D. (2005). Anatomical and biomechanical analysis of *Spartium junceum* L. roots grown on slope. Conference: Woody Root Processes – Impact of Different Tree Species. Tartu (Estonia). COST E38.
42. Di Michele M, Plomion C., Lalanne C., Chiatante D., Scippa G.S. (2005). "Proteomic analysis of Spanish broom (*Spartium junceum* L.) roots grown in slope". IUFRO Tree Biotechnology Meeting, Pretoria (South Africa).
43. Di Michele M., Plomion C., Lalanne C., Chiatante D., Scippa G.S.. (2005). "Proteomic analysis of Spanish broom (*Spartium junceum* L.) roots grown in slope". Plant and Animal Genome XIII Conference, San Diego (California).

44. Di Marzio P., Fortini P., Viscosi V., Marchetti M., Scippa G.S., Stanisci A., Di Michele M., Giancola C., Pelino G., Presti G. (2005). Nuove strutture per le Ricerche Botaniche nell'Università del Molise. 100 ° Congresso della Società Botanica Italiana, Roma.
45. Scippa G.S., Di Michele M., Giancola C., Stanisci A. (2005). Morfologia, vitalità e germinabilità di semi di specie alto-montane dell'Appennino centrale. 100 °Congresso della Società Botanica Italiana, Roma.
46. Scippa G.S., Di Michele M., Di Iorio A., Lasserre B. and Chiatante D. (2006). The response of *Spartium junceum* L. root to slope: anchorage and gene factors. Workshop On: Woody Root Processes - Revealing The Hidden Half. Sede Boqer (Israel) Cost E38.
47. Di Iorio A., Lasserre B., G.S. Scippa, Chiatante D. (2006). Adaptive growth of woody roots on slope condition. Atti del Workshop On: Woody Root Processes – Revealing The Hidden Half. Sede Boqer (Israel) Cost E38.
48. Di Michele M., Trupiano D. and G.S. Scippa (2006). A proteomic approach to characterize autochthon lentil populations from Molise (Italy). 1st Annual National Conference of the Italian Proteomic Society, Pisa, (Italy).
49. Montagnoli A., Ceriani R. M., Lazzaroni R., G.S. Scippa and Chiatante D. (2006). Annual belowground biomass, its spatial distribution and C:N tissue content of matgrass pasture (*Nardus stricta* L.), in the Lombardy Alps. 101° Congresso della Società Botanica Italiana.
50. Montagnoli A., Magatti G., Scippa G.S. and D. Chiatante (2006). Soil erosion under different harvesting management practices and age in steep beech forest (*Fagus sylvatica* L.) from Lombardy Alps. 101° Congresso della Società Botanica Italiana.
51. Montagnoli A., Scippa G.S. and Chiatante D. (2006). Do forest management practices affect fine root turnover? Ingrowth core method applied to beech stands (*Fagus sylvatica* L.) in the Lombardy Alps. 101° Congresso della Società Botanica Italiana.
52. Di Iorio A., Montagnoli A., Scippa G.S., Chiatante D. (2007). The depth distribution of matgrass (*Nardus stricta* L.) roots in relation to soil mechanical resistance in a sloping pasture. 102° Congresso della Società Botanica Italiana.
53. Di Iorio A., Cappelletti M., Malinverno M., Montagnoli A., Scippa G.S., Chiatante D. (2007). Shoot and root architecture of young *Populus nigra* L. seedlings in response to mechanical stress applied to the taproot. 102° Congresso della Società Botanica Italiana.
54. Pelino G., Fortini P., Scippa G.S., Stanisci A., Marchetti M. (2007). Il Giardino della Flora Appenninica di Capracotta (IS). 102° Congresso della Società Botanica Italiana.
55. Pelino G., Fortini P., Scippa G.S., Stanisci A., Marchetti M. (2007). The role of the “Giardino della Flora Appenninica di Capracotta” (Molise-Italy) in the biodiversity conservation. International Conference: Acclimatization, global change, gardening and biodiversity conservation. Ventimiglia – Genova (Italy).

56. Montagnoli A., Di Iorio A., Magatti G., Scippa G.S. and Chiatante D. (2007). The roles of root biomass and its depth distribution in matgrass pasture on steep slopes (*Nardus stricta* L.) for soil resistance improvement. In: Geophysical Research Abstracts, 9: 10444. EGU General Assembly. Vienna, (Austria).
57. Montagnoli A., Di Iorio A., Magatti G., Scippa G.S. and Chiatante D. (2007). Influence of forest managements on water runoff and soil erosion, in steep forestlands from northern Italy. In: Geophysical Research Abstracts, 9: 10410. EGU General Assembly. Vienna, (Austria)
58. Montagnoli A., Di Iorio A., Scippa G.S. and Chiatante D. (2007). Turnover in fine root is affected by forest management of beech stands (*Fagus sylvatica* L.). International Symposium on Physiological Processes in Roots of Woody Plants. Bangor (UK).
59. Montagnoli A., Di Iorio A., Scippa G.S. and Chiatante D. (2007). Root traits and turnover in matgrass pasture (*Nardus stricta* L.). International Symposium on Physiological Processes in Roots of Woody Plants. Bangor (UK).
60. Di Iorio A., Montagnoli A., Scippa G.S. and Chiatante D. (2007) . New emission of first-order lateral roots from a woody taproot: distribution in response to mechanical stress. International Symposium on Physiological Processes in Roots of Woody Plants. Bangor (UK).
61. Scippa G.S., Trupiano D., Rocco M., Montagnoli A., Di Iorio A. and Chiatante D. (2007). Lateral root formation in woody plants under stress: a proteomic analysis to identify genes involved. International Symposium on Physiological Processes in Roots of Woody Plants. Bangor (UK).
62. Scippa G.S., Trupiano D., Rocco M. and Chiatante D. (2007). A proteomic approach to unravel lateral root formation in woody plants under environmental stress conditions. 2nd Annual National Conference of the Italian Proteomic Society Acitrezza (Italy).
63. Scippa G.S., Trupiano D., Rocco M., Iallicicco M., Di Michele M., and Chiatante D. (2008). A proteomic approach to promote the conservation of two endangered autochthonous lentil (*Lens culinaris* Medik.) landraces of Molise (South-Central Italy). In: Polish Journal of Natural Sciences, supplement n.5, 277-278. The 9th ISSS Conference on Seed Biology. Olsztyn (Poland).
64. D'Andrea P., Tognetti R., Scippa G.S. and Caprari C. (2008). Preliminary results on the effects of cadmium on poplar clones. In: *Physiologia Plantarum*, 133, 3- P09-145. XVI Congress of the Federation of European Societies of Plant Biology. Tampere (Finland).
65. Trupiano D., Rocco M., Di Iorio A., Chiatante D. and Scippa G.S.(2008). Poplar roots under mechanical stress: asymmetric alterations of proteome and lignin content. In: *Physiologia Plantarum*, 133, 3- P09-144. XVI Congress of the Federation of European Societies of Plant Biology. Tampere (Finland).
66. Trupiano D., Viscosi V., Rocco M., Renzone G., Scaloni A., Chiatante D. and Scippa G.S. (2009). A proteomic approach to investigate the spatial and temporal response of *Populus nigra* to mechanical stress. COST FA0603-WG1 MEETING: Technical aspects inherent to Plant Proteomics - "Classical and novel approaches in Plant Proteomics".

67. Petrollini E., Trupiano D., Rocco M., Falco G., D'Andrea P., Chiatante D. and Scippa G.S. (2009). Proteomic and physiological studies of dormancy strategies in *Medicago marina* (L.) COST FA0603-WG1 MEETING: Technical aspects inherent to Plant Proteomics - "Classical and novel approaches in Plant Proteomics".
68. Iallicicco M., Rocco M., Trupiano D., Viscosi V., Di Michele M., Arena S., Scaloni A., Chiatante D. and Scippa G.S. (2009). The proteome of lentil (*Lens culinaris* Medik) seed: identification of markers discriminating between landraces. COST FA0603-WG1 MEETING: Technical aspects inherent to Plant Proteomics - "Classical and novel approaches in Plant Proteomics".
69. Trupiano D., Viscosi V., Rocco M., Renzone G., Scaloni A., Chiatante D. and Scippa G. S. (2009). A proteomic approach to investigate the spatial and temporal response of *Populus nigra* to mechanical stress. 4th Annual National Conference of the Italian Proteomic Society.
70. Iallicicco M., Rocco M.P., Trupiano D., Viscosi V., Di Michele M., Arena S., Scaloni A., Chiatante D. and Scippa G.S. (2009). The proteome of lentil (*Lens culinaris* Medik) seed: identification of markers discriminating between landraces. 4th Annual National Conference of the Italian Proteomic Society.
71. Trupiano D., Busov V., Chiatante D. and Scippa G. S. (2009). Activation Tagging of aAP2/ERF Transcription Factor from Poplar That Regulates Lateral Root Proliferation. 104° Congresso SBI onlus.
72. Trupiano D., Viscosi V., Rocco M., Renzone G., Scaloni A., Chiatante D., Di Iorio A., Montagnoli A. and Scippa G.S. (2009). The proteome of poplar woody root: markers of mechanical stress response and seasonality. 104° Congresso SBI onlus
73. Iallicicco M., Calabrese L., Rocco M., Trupiano D., Viscosi V., Renzone G., D'Ambrosio C., Scaloni A., Chiatante D. and Scippa G.S. (2009). The response of two autochthonous lentil (*Lens culinaris* Medik) landraces to abiotic stress. 104° Congresso SBI onlus.
74. Petrollini E., Trupiano D., Rocco M., Falco G., D'Andrea P., Chiatante D. and Scippa G.S. (2009). The biology of *Medicago marina* (L.) seed: a proteomic and phosphoproteomic approach. 104° Congresso SBI onlus.
75. Iallicicco M., Calabrese L., Rocco M., Trupiano D., Viscosi V., Arena S., Scaloni A., Chiatante D. and Scippa G.S. (2010). Proteome analysis of lentil (*Lens culinaris* Medik) seeds under salts stress. 5th Annual National Conference of the Italian Proteomic Society.
76. Trupiano D., De Luca C., Rossi M., Rocco M., Chiatante D. and Scippa G.S. (2011) Factors controlling temporal and spatial modifications in *Populus nigra* woody taproots subjected to bending. Gruppo di Lavoro di Biologia Cellulare e Molecolare.
77. Scippa G.S., Trupiano D., De Luca C., Rossi M., Rocco M. and Chiatante D. (2011). The biology of woody root: mechanisms controlling the thigmomorphogenesis. 106° Congresso SBI onlus

78. Petrollini E., Trupiano D., Rocco M., Leubner G., Chiatante D. and Scippa G.S. (2011). Dormancy of *Medicago marina* L. seed: the role of the micropylar endosperm. 106° Congresso SBI onlus .
79. Trupiano D., De Luca C., Rossi M., Rocco M., Chiatante D. and Scippa G.S. (2011). Molecular factors controlling *Populus nigra* woody taproots response to mechanical stress. 6th International Symposium on Root Development: Adventitious, lateral and primary roots, formerly Int. Symposium on Adventitious Root Formation.
80. Scippa G.S., Trupiano D., Rocco M., Rossi M. and Chiatante D. (2012). Mechanisms controlling poplar woody root response to mechanical stress. 3rbEMBO Conference on Plant Molecular Biology - “Plant development and environmental interactions”).
81. Rossi M., Trupiano D., Rocco M., Chiatante D. and Scippa G.S. (2012). MicroRNAs (miRNAs) involvement in the response of woody root to mechanical stress. 3rb EMBO Conference on Plant Molecular Biology - “Plant development and environmental interactions” .
82. Petrollini E., Trupiano D., Rocco M., Arena S., Scaloni A., Chiatante D. and Scippa G.S. (2012). *Medicago marina* (L.) seed: a proteomic analysis to investigate mechanisms controlling germination and dormancy. VII ItPA Annual Congress